



UNIVERSITY OF LEEDS

Permission to Use The Stroke Quality of Life Questionnaire

Thank you for enquiring about the Stroke-QoL

With this letter The University of Leeds is pleased to grant you permission to use the Stroke Quality of Life questionnaire (Stroke-QoL) for clinical and/or non-commercial purposes. In this instance, non-commercial purposes means that you agree not to use the Stroke-QoL in research or other work performed for a third party, funded by a commercial third party (e.g. clinical trial) or provide the questionnaire to a third party.

When reproducing the Stroke-QoL, please include an identifier as follows:

**Stroke Quality of Life Questionnaire, © 2006,
The University of Leeds; All rights reserved**

For purposes of standardization of content, scoring and labelling, we wish to assure users of the questionnaire and interpreters of its results that the designation "Stroke-QoL" refers to the identical instrument and scoring in all cases. This allows comparison of scores across projects and applications.

Therefore, if you add questions to or delete questions from the Stroke-QoL; or embed it into a larger questionnaire; or modify its layout or order of questions, please give the modified questionnaire its own name and indicate the following on the questionnaire form, including at its end:

**Questionnaire includes portions of the Stroke Quality of Life Scale
(items number), © 2006, The University of Leeds;
All rights reserved**

It is not permitted to create a non-English language version or culturally-modified version of the RA-WIS without explicit prior permission, which will also require following an agreed adaptation protocol. For existing language versions see the web site at:

<http://www.leeds.ac.uk/medicine/rehabmed/psychometric/Scales1.htm>

In return for royalty free permission to use the Stroke-QoL, we request that:


- a. you complete and **return The University of Leeds User's Profile** form describing the way in which you plan to use the Stroke-QoL; and

In addition if you intend to use the Stroke-QoL in a research study we request that

- b. you make available to The University of Leeds non-identifiable data from your study which may allow it's research group to refine the applicability, precision and standardization of scoring of the Stroke-QoL; and
- c. the study data not be used to develop another questionnaire with the same purpose as the Stroke-QoL.

If you agree to the terms of **this letter of permission to use the Stroke-QoL, please return a signed copy for my attention** along with the completed User's Profile Form, and I will email you a copy of the Stroke-QoL.

(Scale scoring guidance notes will also be included).

For technical advice and consultation regarding the use of the Stroke-QoL, please contact Professor Alan Tennant, at The University of Leeds  a.tennant@leeds.ac.uk

Respectfully,
Stroke QoL Administrative Manager

Agreed to by:

Signature

Title/organisation

Please complete and return this form to Stroke-QoL Administrative Manager, The University of Leeds, Academic Department of Rehabilitation Medicine, D Floor, Martin Wing, Leeds General Infirmary, Leeds, England, LS1 3EX. Fax: 0113 3922559. Email: V.E.Lane@leeds.ac.uk

Stroke-QoL

User Profile (Please type or print clearly)

Please complete and return this form to Stroke-QoL Administrative Manager, The University of Leeds, Academic Department of Rehabilitation Medicine, D Floor, Martin Wing, Leeds General Infirmary, Leeds, England, LS1 3EX. Fax: 0113 3922559. Email: V.E.Lane@leeds.ac.uk

Principal Investigators/Project Directors Name:		
Organisation/Department:		
Street Address:		
City:	County/State:	Postcode/Zip:
Country:	E-mail:	
Telephone:	Fax:	

Organisation Type

Indicate by placing a 'X' in the box next to the category that best describes the type or primary purpose of your organisation

<input type="checkbox"/>	Primary Care Group	<input type="checkbox"/>	NHS Hospital Trust	<input type="checkbox"/>	Insurance Company/Health Plan
<input type="checkbox"/>	University/College	<input type="checkbox"/>	Charity	<input type="checkbox"/>	Pharmaceutical Company
<input type="checkbox"/>	Government Agency	<input type="checkbox"/>	Other NHS	<input type="checkbox"/>	Other: _____

If you propose to use the Stroke-QoL as a Clinical Screening Tool Only (IE. Not for research purposes) please tick this box and ignore the remaining questions	<input type="checkbox"/>
---	--------------------------

Briefly describe the project(s) for which you plan to use the Stroke-QoL (indicate aims, design and key sample characteristics):
Project sample size:
Projects duration:
Methods of measurement (e.g. Mail survey):
Other measurement tools included (e.g. SF-36):